L Number	Hits	Search Text	DB	Time stamp
-	0	scsi same expander same (interface adj circuit) same segment	USPAT;	2003/12/11 08:30
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	i
-	0	scsi same expander same (interface adj circuit) same (bus adj	USPAT;	2003/12/10 15:08
		segment)	US-PGPUB;	2000/12/10 10:00
		- 00go.n.y	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
<u> </u>	0	scsi same expander same (interface adj circuit)	USPAT;	2003/12/10 15:08
		Soor same expander same (interface adjustoary)	US-PGPUB;	2003/12/10 13:00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
<u> </u>	0	expander same (interface adj circuit) same (bus adj segment)	USPAT;	2003/12/10 15:08
-	•	expander same (interface adjunedity same (bus adj segment)	US-PGPUB;	2003/12/10 13.00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	0	expander same (interface adj circuit) same segment	USPAT;	2003/12/10 15:08
	ا	expander same (interiace adj circuit) same segment	US-PGPUB;	2003/12/10 15:06
			EPO; JPO; DERWENT;	
	. 0	adapted as and soci till and expand\$3 til	IBM_TDB USPAT;	2003/12/10 15:08
-	. 0	adaptec.as. and scsi.ti. and expand\$3.ti.	US-PGPUB;	2003/12/10 15:06
			EPO; JPO;	
			DERWENT;	
		·	IBM_TDB	
	0	(bus with expand\$3) same propagat\$3 same reset\$4	USPAT;	2003/12/10 15:08
-	0	(bus with expandito) same propagativo same resetiva	US-PGPUB;	2003/12/10 13:00
İ			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	29	repeater same reset\$4 same propagat\$3	USPAT;	2003/12/10 15:09
		Topodici bullio resolu-i bullio propagativo	US-PGPUB;	2000/12/10 10:00
		•	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	0	((scsi same (expander repeater)) same reset\$4).ti.	USPAT;	2003/12/10 15:09
		((cool came (expander repeater)) came receip v)	US-PGPUB;	2000/12/10 10:00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	16	reset same (hang hung) same scsi	USPAT;	2003/12/10 15:09
		, , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
]		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	isolat\$3 same (reset adj signal) same (expander repeater)	USPAT;	2003/12/10 15:09
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	24	isolat\$3 same reset same (expander repeater)	USPAT;	2003/12/10 15:09
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	717	bus adj segment	USPAT;	2003/12/10 15:09
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	37	scsi same (bus adj segment)	USPAT;	2003/12/10 15:09
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	47	sony.as. and (reset\$4 adj3 bus)	USPAT;	2003/12/10 15:10
	7'	Sorry.as. and (resetp+ adjo bds)		2003/12/10 15.10
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		•	IBM_TDB	
-	290	reset\$4 with scsi with bus	USPAT;	2003/12/10 15:10
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
<u>-</u>	6	scsi adj (expandr repeater extender).ab.	USPAT;	2003/12/10 15:10
		Soor day (Supariar repositor exterior), as.	US-PGPUB;	2000/12/10 10:10
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	21	scsi adj (expandr repeater extender)	USPAT;	2003/12/10 15:10
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	491	(bus scsi) adj (expandr repeater extender)	USPAT;	2003/12/10 15:10
	101	i	US-PGPUB;	2000/12/10 10.10
			EPO; JPO;	
			DERWENT;	
ŀ			IBM_TDB	
-	90	(bus adj (expander extender repeater)) and scsi	USPAT;	2003/12/10 15:10
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	36	(bus adj (expander extender repeater)) and scsi and reset\$4	USPAT;	2003/12/10 15:10
,		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
ļ	240	(hus adi (ovnandor outendor reposter)) and repot@4		2002/12/10 15:10
-	248	(bus adj (expander extender repeater)) and reset\$4	USPAT;	2003/12/10 15:10
			US-PGPUB;	[
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	scsi same (bus adj expander)	USPAT;	2003/12/10 15:10
	1		US-PGPUB;	,
	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	4	adaptec.as. and packer.in. and expand\$3	USPAT;	2003/12/10 15:10
		i	US-PGPUB;	2000/12/10 10.10
				i
1			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	15	adaptec.as. and (scsi same expand\$3)	USPAT;	2003/12/10 15:10
			US-PGPUB;	
	[EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	1	(bus with expand\$3) same scsi same reset\$4	USPAT;	2003/12/10 15:10
]			US-PGPUB;	
			EPO; JPO;	
1				
			DERWENT;	
	<u> </u>		IBM_TDB	

-	2	(bus with repeater) same scsi same reset\$4	USPAT; US-PGPUB;	2003/12/10 15:10
			EPO; JPO;	
			DERWENT;	
	_	remediar same seei same see MA	IBM_TDB	2002/40/40 45:40
-	7	repeater same scsi same reset\$4	USPAT; US-PGPUB;	2003/12/10 15:10
			EPO; JPO;	
			DERWENT;	·
			IBM_TDB	
-	5	scsi same (expander repeater) same (reset adj signal)	USPAT;	2003/12/10 15:10
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(IBM_TDB	
-	6	(scsi same (expander repeater)).ti.	USPAT;	2003/12/10 15:10
			US-PGPUB; EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
-	2	(error adj reset) same scsi	USPAT;	2003/12/10 15:10
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1	(scsi adj (repeater expander)).ti.	IBM_TDB	2002/42/40 45:44
-	'	(scsi adj (repeater expander)).ii.	USPAT; US-PGPUB;	2003/12/10 15:11
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5	(scsi adj (repeater expander)).ab.	USPAT;	2003/12/10 15:11
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	7	isolat\$3 adj (reset\$3 adj signal)	IBM_TDB USPAT;	2003/12/10 15:11
	•	Isolated adj (reseted adj signal)	US-PGPUB;	2003/12/10 13.11
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	17	scsi adj repeater	USPAT;	2003/12/10 15:11
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	4	(reset\$4 with scsi with bus) same (repeater expander	USPAT;	2003/12/10 15:11
		extender)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	19	(resat\$4 with seei with hus) and (reneater expander extended)	IBM_TDB	2002/42/40 45:44
-	19	(reset\$4 with scsi with bus) and (repeater expander extender)	USPAT; US-PGPUB;	2003/12/10 15:11
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	11	isolat\$3 same propagat\$3 same (reset adj signal)	USPAT;	2003/12/10 16:44
			US-PGPUB;	
	İ		EPO; JPO;	
			DERWENT; IBM_TDB	
-	112	isolat\$3 same propagat\$3 same reset\$4	USPAT;	2003/12/10 16:44
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	•
	L <u>. </u>		IBM_TDB	<u> </u>

-	713	isolat\$3 same (transfer\$4 propagat\$3) same reset\$4	USPAT; US-PGPUB;	2003/12/10 16:44
			EPO; JPO;	
ļ			DERWENT;	
İ			IBM_TDB	
-	80	isolat\$3 same (transfer\$4 propagat\$3) same (reset\$4 adj	USPAT;	2003/12/10 16:45
		signal)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	1	isolat\$3 with ((transfer\$4 propagat\$3) adj3 (reset\$4 adj	USPAT;	2003/12/10 16:46
		signal))	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	1	isolat\$3 same ((transfer\$4 propagat\$3) adj3 (reset\$4 adj	USPAT;	2003/12/10 16:46
		signal))	US-PGPUB;	2000/12/10 10.40
		i oignai))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	300	((transfer\$4 propagat\$3) adj3 (reset\$4 adj signal))	USPAT;	2003/12/10 16:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	79	((propagat\$3) adj3 (reset\$4 adj signal))	USPAT;	2003/12/10 16:46
			US-PGPUB;	
		,	EPO; JPO;	
			DERWENT;	
	54505	isolat\$3 with signal	IBM_TDB USPAT;	2003/12/11 08:34
-	54505	i isolatās with signal	US-PGPUB;	2003/12/11 00.34
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	12896	isolat\$3 adj3 signal	USPAT;	2003/12/11 08:31
		, ,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	(isolat\$3 adj3 signal) same scsi	USPAT;	2003/12/11 08:31
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	293	isolat\$3 with (reset\$4 adj3 signal)	USPAT;	2003/12/11 08:44
	233	issisted that (1999th adjo digital)	US-PGPUB;	2000, 12, 17, 100.44
			EPO; JPO;	
}			DERWENT;	
			IBM_TDB	
-	165	(propagat\$3 forward\$3) adj3 (reset\$4 adj3 signal)	USPAT;	2003/12/11 08:44
			US-PGPUB;	
	1	•	EPO; JPO;	
			DERWENT;	
		((for edicide) forcide for elde served) and served all also	IBM_TDB	2002/40/44 40:42
-	22	((far adj side) farside far-side remote) adj reset adj signal	USPAT;	2003/12/11 13:43
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_ TDB	
-	0	((far adj side) farside far-side) adj reset adj signal	USPAT;	2003/12/11 13:43
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
L	<u></u>		IBM_TDB	

-	60	((far adj side) farside far-side) adj3 signal	USPAT;	2003/12/11 13:43
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	recursive adj reset	USPAT;	2003/12/11 13:45
			US-PGPUB;	
i			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	recursive adj reset\$4	USPAT;	2003/12/11 13:45
		•	US-PGPUB;	
•			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
1 -	19	recursive\$3 adj3 reset\$4	USPAT;	2003/12/11 13:45
		i i i i i i i i i i i i i i i i i i i	US-PGPUB:	2000/12/11 10/10
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	11	scsi same (repeater expander extender) same ((reset adj	USPAT;	2003/12/11 15:38
-	''	signal) rst)	US-PGPUB;	2003/12/11 15.36
		signal) ist)		
			EPO; JPO;	
			DERWENT;	
		0.400000	IBM_TDB	000040444505
-	0	6430632.pn. and reset	USPAT;	2003/12/11 15:35
1			US-PGPUB;	
			EPO; JPO;	
	i		DERWENT;	
			IBM_TDB	
-	16	scsi and ((repeater expander extender) same ((reset adj	USPAT;	2003/12/11 15:45
		signal) rst))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	resetting adj bus adj segment\$1	USPAT;	2003/12/11 15:43
	İ		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	reset\$1 adj bus adj segment\$1	USPAT;	2003/12/11 15:44
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	173	((repeater expander extender) same ((reset adj signal) rst))	USPAT;	2003/12/11 15:46
		(/ · · · · · · · · · · · · · · · · · · ·	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	1	<u> </u>	.DIVI_ 1 DD	<u> </u>